

EXHIBIT A
SOLID WASTE SCREENING PROCEDURES AND RESTRICTIONS

Page 1 of 3

IMPORTANT NOTICE TO OUR CUSTOMERS

Affirming our support of and compliance with Federal and State environmental and hazardous substance regulations and employee "right to know" laws, Advanced Disposal Solutions, Inc. WILL NOT ACCEPT THE FOLLOWING ITEMS in any of its containers:

1. Construction and demolition material which includes regulated residual waste or hazardous waste such as sandblasting waste or lead-based paint material.
2. Closed containers of any type.
3. Drums, barrels or tanks unless they have been thoroughly cleaned, rinsed and opened so as to render them incapable of containing hazardous substances.
4. Cans and/or any other containers suspected of containing liquid, powder, gases, fumes, etc. that may be considered hazardous or potentially hazardous.
5. Metallic scrap contaminated with hazardous substances or hazardous materials.
6. Transformers of any type without documentation that they are empty and do not contain PCBs.
7. Liquid mercury containing switches and other equipment containing liquid mercury.
8. Liquids, fluids, or batteries of any type.
9. Equipment containing pressurized refrigerant gases such as CFCs or HCFCs.
10. Radioactive materials or radioactively contaminated materials.
11. All compressors, unless removed from appliances.

EXHIBIT A
SOLID WASTE SCREENING PROCEDURES AND RESTRICTIONS
(continued)

Page 2 of 3

12. Asbestos-containing materials.
13. Any PCB-containing or PCB-contaminated equipment, piping, storage vessels, or other materials.
14. Metal materials with significant non-metal materials loosely associated (not an incorporated part of the recyclable metal material). Examples include glass, plastic, concrete, bricks, soil, etc.
15. Cylinders that contain pressurized gases must be cut open for inspection or have valve stems removed.
16. Residual waste as defined in the Pennsylvania Residual Waste Regulations.
17. Hazardous waste as defined in the Pennsylvania Hazardous Waste Regulations.
18. Biomedical waste as defined in the Pennsylvania Municipal Waste Regulations
19. Microwave ovens.
20. All fluorescent fixtures unless ballasts and mercury switches are removed.
21. Military scrap (i.e., projectiles, shell casings, etc.).
22. Hospital/Medical scrap unless written certification indicates that this material is free of radioactive material
23. Insulation (especially potential asbestos-containing) in commercial freezer units or on pipes and boilers.

EXHIBIT A
SOLID WASTE SCREENING PROCEDURES AND RESTRICTIONS
(continued)

Page 3 of 3

24. Consumer electronics or e-wastes (e.g., computers, monitors, televisions).

Please note that a thorough physical inspection of the material proposed for transport will be conducted on all containers prior to removal from the facility at which it was generated (or staged for transport). If actual or suspect waste material meeting the description of the excluded items described above is encountered during the inspection, information regarding the nature, origin, generation and any analytical testing of the subject material must be provided at the time of inspection. Failure to meet any of the above requirements may result in rejection of your waste material for transport.

We appreciate your complete cooperation in these matters.